

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[more »](#)

namespace buffers entity data sources

Search

[Advanced Search](#)
[Preferences](#)
WebResults **31 - 40** of about **261,000** for **namespace buffers entity data sources**. (0.13 seconds)**BCP70**

When a new **namespace** is needed, the "**namespace** name" is a URI that is used to ...
 XML also has the ability to write character **data** using numeric **entity** ...
rfc.net/bcp0070.html - 72k - [Cached](#) - [Similar pages](#)

[PDF] Accessing Sensor Data Using Meta data: A Virtual Object Ring ...

File Format: PDF/Adobe Acrobat

Buffers that manage the sensor protocol abstraction. **Data** grids. manage the abstraction of the **data** streams as named **entities**. Information about the **data** ...
portal.acm.org/ft_gateway.cfm?id=1080892&type=pdf - [Similar pages](#)

SAP Web Application Server - Persistence for Java Applications

WEB AS Java implicitly uses a Table **Buffer**. The Table **Buffer** stores entries ... Web AS Java exposes the configured **data sources** to applications through the ...
<https://portal.prroot.com.sapportals.km.docs/documents/a1-8-4/Persistence%20for%20Java%20Applications> - 52k - [Cached](#) - [Similar pages](#)

Qt 4.1: QDomDocument Class Reference

The QDomDocument class has several functions for creating document **data**, for example, ... from the byte array **buffer**. No **namespace** processing is performed. ...
doc.trolltech.com/qdomdocument.html - 34k - [Cached](#) - [Similar pages](#)

Changelog for parsifal ===== 1.0.0, 2.11.2005 1.0 ...

Now when element is in the default **namespace** localName will be correctly set ... reallocs and fiddling of outbut **buffer** when parsing internal **entities** for ...
www.saunalahti.fi/~samius/toni/ChangeLog - 18k - [Cached](#) - [Similar pages](#)

Doxygen

The code parser tries to cross-reference to **source** code it parses with documented **entities**. It also does syntax highlighting of the **sources**. ...
www.stack.nl/~dimitri/doxygen/arch.html - 19k - [Cached](#) - [Similar pages](#)

NeoEngine: NeoEngine: NeoEngine Namespace Reference

Emulate File object on **data buffer** A **buffer** file implements file operations ... The log **source** object Contains a loglevel state and a number of **data** sinks ...
neoengine.emedia-solutions-wolf.de/neoengine-api/html/namespaceNeoEngine.html - 220k - [Cached](#) - [Similar pages](#)

Index of Namespace

jdbc-**data-source**-factoryType, Corresponds to JDBCDataSourceFactoryMBean ...
 logType.memory-**buffer**-size, The size of the memory **buffer** that holds the last n ...
edocs.bea.com/wls/docs90/schemaref/config/
http://www.bea.com_ns_weblogic_90_domain/index.html - 138k - [Cached](#) - [Similar pages](#)


libnxml: nxml.h Source File

00420 * \param element The element of the new **data** struct **namespace**. ... 00577 * 00578
 * \param nxml 00579 * \param **buffer** the memory **buffer** 00580 * \return ...
www2.autistici.org/bakunin/libnxml/doc/nxml_8h-source.html - 101k -
[Cached](#) - [Similar pages](#)

DefaultHandler (Java API for XML Processing (JAXP) 1.4)

IOException - If there is an error setting up the new input **source**. ... for each chunk of character **data** (such as adding the **data** to a node or **buffer**, ...

<https://jaxp-sources.dev.java.net/nonav/docs/api/org/xml/sax/helpers/DefaultHandler.html> - 48k - [Cached](#) - [Similar pages](#)




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)**Web**Results **1 - 10** of about **236,000** for **guid namespace synchronization** . (0.33 seconds)Title Index

... A Uniform Resource Name (URN) Formal **Namespace** for the New Zealand Government ... Internet Time **Synchronization**: The Network Time Protocol ...
dret.net/rfc-index/titles - 1270k - [Cached](#) - [Similar pages](#)

Title Index

... A Uniform Resource Name (URN) **Namespace** for the Common Language Equipment Identifier ... III Jornadas de Trabajo DOLMEN · Illustrated **Guide** to HTTP ...
dret.net/biblio/titles - 918k - [Cached](#) - [Similar pages](#)

Application Development **Guide** --Core Components

Avoiding Priority Inversion · Using **Synchronization** Objects · Race Conditions · Deadlocks ... Directory Services and RPC: Using the **Namespace** ...
www.univie.ac.at/dcedoc/A3U2J/A3U2JM02.HTM - 61k - [Cached](#) - [Similar pages](#)

[PDF] Microsoft PowerPoint - Object **Synchronization**

File Format: PDF/Adobe Acrobat - [View as HTML](#)
Record of database **synchronization** history with other. databases. databases. —
Database **GUID**, **Namespace**, Last Transaction Sent., Database **GUID**, **Namespace** ...
www.intersystems.com.au/Symposium05/ Presentations/Object%20Synchronization.pdf -
[Similar pages](#)

Threading (C#)

Threading **namespace** provides classes and interfaces that support ... Threading (C# Programming **Guide**). Threading enables your C# program to perform ...
msdn2.microsoft.com/en-us/library/ms173178.aspx - 16k - [Cached](#) - [Similar pages](#)

System.EnterpriseServices **Namespace**

EnterpriseServices **namespace** provides an important infrastructure for ... Public class, SynchronizationAttribute, Sets the **synchronization** value of the ...
msdn2.microsoft.com/en-us/ library/system.enterpriseservices.aspx - 44k -
[Cached](#) - [Similar pages](#)

Synchronization of Information Aggregators using Markup (SIAM)

This specification uses a number of **namespace** prefixes throughout; ... It is the value of the rdf:about attribute of an RSS 1.0 item, the **guid** element of an ...
www.25hoursaday.com/draft-obasanjo-siam-01.html - 57k - [Cached](#) - [Similar pages](#)

DataTable **Synchronization** Manager - The Code Project - C# Database

Adds **synchronization** to the DataTable Transaction Logger. ... Data; **namespace** TransactionSynchronizationManagerUnitTests { [TestFixture] [ProcessTest] ...
www.codeproject.com/useritems/dtsm.asp - 54k - [Cached](#) - [Similar pages](#)

Globalization - Understanding Globalization in .NET

The System.Threading **namespace** contains classes and interfaces that enable multithreaded programming. The classes of this **namespace** enable **synchronization** ...
www.dotnet-guide.com/globalization.html - 15k - [Cached](#) - [Similar pages](#)

[PPT] Data **Synchronization** in Intermittently Connected Applications

File Format: Microsoft Powerpoint 97 - View as HTML

If this parameter is set to 1 then a **GUID** will be assigned to each new object. ... identify the System and **Namespace** involved. Rules of **Synchronization** ...

209.61.190.221/uploaded/ 8%20%20Optimized%20Data%20Synchronization%20Joe%20Gallant.ppt - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►
Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Info when you want it, right on your desktop
Free! [Download Google Desktop](#)

Google sidebar containing:

- News: New lines of communication, Financial Times, 3 hrs ago
- Email: Lunch tomorrow?, Mandy MY <.., 11 min ago
- Weather: 61°F Clear - Mount, <..
- Stocks: DJI 10434.87 -84, <..
- Search bar: Type to search
- Footer: 11:22 AM

guid namespace synchronization

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

[Sign in](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

client namespace slave namespace synchroni

[Search](#)[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about 39,200 for client namespace slave namespace synchronization . (0.40 seconds)The Mailbox Update (MUPDATE) protocol is the backend that allows ...It indicates that the given name has been freed from the **namespace** and is no ...**Synchronization** of **slave** databases to the master's database is simple. ...asg.web.cmu.edu/cyrus/mupdate.html - 13k - [Cached](#) - [Similar pages](#)[PPT] Slide 1File Format: Microsoft Powerpoint - [View as HTML](#)NIS Clients. **Slave. Slave. Slave.** Master. UNIX Password **Synchronization** ... Hierarchical view of **namespace**; New features such as rename links, drag n' drop ...download.microsoft.com/download/a/6/c/ a6c4a976-da3e-4950-8c46-c3964cbbec1f/Windows%20Server%202003%20R2.ppt - [Similar pages](#)Software development statusCab creation in the organization **namespace**. User management; Cell preparation of adcp rules; Hosts management; Y500 **synchronization** support ...www.chips.chalmers.se/Chips/ dokumentation/rapporter/ProgDevStatus.html - 21k - [Cached](#) - [Similar pages](#)Highly Available LDAPThe referral mechanism lets you split the LDAP **namespace** across multiple ... This is a simple setup to implement, but data **synchronization** between the ...www.linuxjournal.com/node/5505/print - 22k - [Cached](#) - [Similar pages](#)Highly Available LDAP | Linux JournalThe referral mechanism lets you split the LDAP **namespace** across multiple servers ...Figure 2. slurpd pushes updates from the LDAP master to the LDAP **slave**. ...www.linuxjournal.com/article/5505 - 49k - [Cached](#) - [Similar pages](#)IBM^(R) Distributed Computing Environment Version 3.2 ...Adding Members to the **Namespace** Authorization Group · Creating Additional Authorization Groups ... Security Integration on a Slim **Client** Configuration ...

www-306.ibm.com/software/network/

dce/library/publications/admingd/html/ADMINING02.HTM - 67k - [Cached](#) - [Similar pages](#)IBM^(R) Distributed Computing Environment Version 3.2 ...The CDS clerk handles requests from **client** applications to a server and caches the ... The CDS server initializes the CDS **namespace** when you configure DCE. ...

www-306.ibm.com/software/network/dce/

library/publications/admintro/html/ADMININTRO09.HTM - 36k - [Cached](#) - [Similar pages](#)[PPT] Windows and Unix Account Management and Authentication IntegrationFile Format: Microsoft Powerpoint 97 - [View as HTML](#)**Namespace**. Security. Unix NIS **Client**. NIS Master Server. NIS **Slave** Server. yppush. NIS Domain ... Credential **Synchronization**; **Client**-side Credential Caching ...

www.esat.kuleuven.ac.be/cosic/ seminars/slides/Win_Unix_Sec_Int_JDC_V1.ppt -

[Similar pages](#)Replicating Your First Database In this example, we will be ...bin/sh slonik <<_EOF_ #- # define the **namespace** the replication system ... store node

(id=2, comment = '**Slave** node'); store path (server = 1, **client** = 2, ...
gborg.postgresql.org/project/ slony1/genpage.php?howto_basic - 11k -
[Cached](#) - [Similar pages](#)

mbsync

Synchronization state is kept in one local text file per mailbox pair; ... Selects whether the server's first "personal" **NAMESPACE** should be prefixed to ...
isync.sourceforge.net/mbsync.html - 44k - [Cached](#) - [Similar pages](#)

Google Groups results for client namespace slave namespace synchronization



[Proper sequence within autoexec.ncf](#) - novell.support.cluster-service ... - Jan 28, 2006
[what is CFGSYS32X.EXE](#) - can.internet.highspeed - Feb 06, 2003
[USENIX Winter '93 Technical Conference Tutorials](#) - comp.org.sug - Jan 13, 1993

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Speed up the web. [Download the Google Web Accelerator.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google